



NO. TOLFKF85373955

委托单位 仙桃绿色东方环保发电有限公司

受测单位 仙桃绿色东方环保发电有限公司

报告日期 2020 年 08 月 11 日

PONY 谱尼测试
Pony Testing International Group
www.ponytest.com





防伪纹路。

The test report is printed by anti-copying paper whose surface shows "PONY" security print with specific anticounterfeiting technique. Security print will disappear after copying. Duplicates are not expected to give "PONY" security print under any circumstances.



全国服务热线
400-819-5688

WWW.PONYTEST.COM

扫描二维码

关注谱尼测试微信

公众号 PONY4008195688




北京实验室: (010) 83055000	武汉实验室: (027) 83997127	哈尔滨实验室: (0451) 58627755
上海实验室: (021) 64851999	长春实验室: (0431) 85150908	石家庄实验室: (0311) 85376660
青岛实验室: (0532) 88706866	大连实验室: (0411) 87336618	乌鲁木齐实验室: (0991) 6684186
深圳实验室: (0755) 26050909	郑州实验室: (0371) 69350670	呼和浩特实验室: (0471) 3450025
天津实验室: (022) 23607888	西安实验室: (029) 89608785	杭州实验室: (0571) 85806807
苏州实验室: (0512) 62997900	太原实验室: (0351) 7555762	宁波实验室: (0574) 87977185
		温州实验室: (0577) 88271060
		合肥实验室: (0551) 63843474
		广州实验室: (020) 89224310
		厦门实验室: (0592) 5568048
		成都实验室: (028) 87702708

检测结果

No. IOBFXLKF85373955

第 1 页, 共 2 页

委托单位	仙桃绿色东方环保发电有限公司		
受测单位	仙桃绿色东方环保发电有限公司		
受测地址	仙桃市干河办事处郑仁口村四组		
样品类别	炉渣	样品状态	固体
采样日期	2020-07-29	检测日期	2020-07-29~2020-08-04
检测类别	委托检测	检测环境	符合要求

检测方法	固体废物 热灼减率的测定 重量法 HJ 1024-2019		
所用主要仪器	电子分析天平、电热鼓风干燥箱、箱式电炉		
备注	1. 该报告中检测方法由委托单位指定; 2. 限值标准: GB 18485-2014《生活垃圾焚烧污染控制标准》表 1。		
	编制人	徐磊	
	审核人	王东东	
	批准人	王东东	
	签发日期	2020年08月11日	

检测结果

No. IOBFXLKF85373955

第 2 页，共 2 页

样品编号及名称	检测项目	限值	检测结果
F85373955 2 号炉炉渣	热灼减率，%	≤5	2.7

——以下空白——

